



# 样品承认书

SPECIFICATION FOR APPROVAL

型号 (Model): KCD1-103 B2

品名 (Name): 船形开关

ROCKER SWITCH

编制 Edit	审核 Check	批准 Approved	客户承认 Customer Approved

浙江中讯电子有限公司/ZHEJIANG ZHONGXUN ELECTRONICS CO., LTD.

浙江省乐清市虹桥镇七村工业区

QICUN INDUSTRY ZONE, HONGQIAO, YUEQING, ZHEJIANG, CHINA

电话(TEL): 86-577-62372817 传真(FAX): 86-577-62351068

Http://www.zxgroup.com E-mail: zxdz@zxgroup.com



ZHEJIANG ZHONGXUN ELECTRONIC CO.,LTD.

浙江中讯电子有限公司

Sample Inspection Report

样品检验报告

检验日期 (Date): \_\_\_\_\_

No.: \_\_\_\_\_

型号 (Model)	KCD1-103 B2	品名 (Name)	船形开关	样品数量 (Q'TY)	5 Pcs
------------	-------------	-----------	------	-------------	-------

单位 (Unit): mm

尺寸测量分布 (DATA)

代码/CODE	规格/SPEC	1	2	3	4	5	测量工具 (Measure Tool)
A	0.5 <sup>0</sup> <sub>-0.03</sub>	0.49	0.50	0.49	0.49	0.50	游标卡尺/vernier calliper
B	4.8±0.05	4.77	4.82	4.78	4.77	4.80	游标卡尺/vernier calliper
C	14±0.10	14.00	14.00	14.00	14.00	14.00	游标卡尺/vernier calliper
D	13±0.10	12.95	12.95	13.00	12.95	13.00	游标卡尺/vernier calliper
E	18.7±0.10	18.70	18.70	18.70	18.70	18.70	游标卡尺/vernier calliper
F	22.9±0.20	22.80	22.90	22.84	22.92	22.84	游标卡尺/vernier calliper
G	21.2±0.20	21.30	21.30	21.20	21.24	21.26	游标卡尺/vernier calliper
H							

代码 (A、B、C……) 与规格图尺寸编码相对应

This code (A、B、C……) identify with the size code of the drawing

项目 (Item)	要求 (Require)	结论 (Result)	测量工具 (Measure Tool)
耐电压测试 (Dielectric Strength)	AC 1500V 0.5mA 1min	无击穿 (No Breakdown)	耐压测试仪 (Resistance Pressure Test Instrument)
绝缘阻抗测试 (Insulation Resistance)	100MΩ Min	OK	绝缘电阻测试仪 (Insulation Resistance Test Instrument)
接触电阻测试 (Contact Resistance)	50mΩ Max	OK	线性毫欧表 (Linearity Milliohm Meter)

动作灵活性 (Action) 开关动作灵活, 无卡滞现象/Switch action if flexible, No lagging

外观 (Surface) 塑料件表面光洁, 无飞边、花纹收缩, 金属件无划伤、压痕, 镀层光亮, 无脱落  
Plastic unit face is complete, no spare, no pattern, no shrinkage, Metal Unit no scuffing, no pressing, Plating layer is light, no shedding.

判定结果 (Result): 合格 (Accept) 不合格 (Reject)

批准 (Approved): 审核 (Check): 检验 (Inspector):

质管部



