

SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: Safety data sheet according to Regulation (EC) 2020/878

Revision date 22/09/2023 **Revision Number** 2.13

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name Anti-Static Spray

Product Code(s) ASA, EASA250ML, EASA25L, ZE

00941 Safety data sheet number

Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Cleaning agent

No specific uses advised against are identified Uses advised against

1.3. Details of the supplier of the safety data sheet

Manufacturer **Supplier**

ELECTROLUBE MacDermid Alpha Electronics Solutions ASHBY PARK, COALFIELD WAY, ASHBY DE LA ZOUCH,

LEICESTERSHIRE LE65 1JR

UNITED KINGDOM

+44 (0)1530 419600

+44 (0)1530 416640 info@electrolube.com

HK WENTWORTH LIMITED 32 RUE DE TOURNENFILS

91540 MENNECY

FRANCE

+33 (0) 1 82 88 47 94

info@electrolube.com

For further information, please contact

info@electrolube.com E-mail address

1.4. Emergency telephone number

Emergency Telephone POISON INFORMATION CENTRE (Beaumont Hospital, Republic of Ireland only) +353 (0)1

809 2166 (08:00 - 22:00)

Emergency Telephone - IN CASE OF EMERGENCY CALL: +44 1865 407333 (24hr, Provided by Carechem 24)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to

Regulation (EC) No. 1272/2008 [CLP]

Revision da	te 22/09/2023
-------------	---------------

Flammable liquids	
Acute aquatic toxicity	Category 1 - (H400)
Chronic aquatic toxicity	Category 1 - (H410)

2.2. Label elements



Signal word Warning

Hazard statements

H410 - Very toxic to aquatic life with long lasting effects

EUH208 - Contains nitrate amine salt of N-[3- dimethylaminopropyl]- C14-C20 amides, saturated, reaction products with ethylene oxide May produce an allergic reaction.

Precautionary Statements - EU (§28, 1272/2008)

P273 - Avoid release to the environment.

P391 - Collect spillage.

P501 - Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable.

2.3. Other hazards

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

Endocrine Disruptor Information This product does not contain any known or suspected endocrine disruptors.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

Chemical name	Weight-%	REACH registration	EC No (EU	Classification according	Specific	M-Factor	M-Factor
		number	Index No)	to Regulation (EC) No.	concentration		(long-term)
				1272/2008 [CLP]	limit (SCL)		
2-Butoxyethanol	1-5	01-2119475108-36-00	203-905-0	Acute Tox. 4 (H332)	-	-	-
111-76-2		00		Eye Irrit. 2 (H319)			
				Acute Tox. 4 (H302)			
				Skin Irrit. 2 (H315)			
nitrate amine salt of	0.1-1	No data available	946-436-3	Aquatic Chronic 1	-	100	-
N-[3-				(H410)			
dimethylaminopropy				Aquatic Acute 1 (H400)			

Revision date 2	2/09/2023
-----------------	-----------

I]- C14-C20 amides saturated, reaction products with ethylene oxide				Acute Tox. 4 (H302) Skin Sens. 1B (H317) Eye Dam. 1 (H318)			
Propan-2-ol 67-63-0	0.1-1	01-2119457558-25-00 00	200-661-7	Eye Irrit. 2 (H319) STOT SE 3 (H336) Flam. Liq. 2 (H225)	-	-	-

Full text of H- and EUH-phrases: see section 16

Acute Toxicity Estimate

If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATEmix) for classifying a mixture based on its components

Chemical name	Oral LD50 mg/kg		Inhalation LC50 - 4 hour - dust/mist - mg/L	Inhalation LC50 - 4 hour - vapour - mg/L	Inhalation LC50 - 4 hour - gas - ppm
2-Butoxyethanol 111-76-2	1200 + 470	435	No data available	3+ 2.1749 2.3489	No data available
Propan-2-ol 67-63-0	1870	4059	No data available	30.1002	No data available

⁺ This value is the harmonised acute toxicity estimate (ATE) listed in CLP Annex VI, Part 3. This harmonised ATE value must be used when calculating the acute toxicity estimate (ATEmix) for classifying a mixture containing the listed substance

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation Remove to fresh air.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep

eye wide open while rinsing. Do not rub affected area.

Skin contact Wash off immediately with soap and plenty of water while removing all contaminated clothes

and shoes.

Ingestion Rinse mouth.

Self-protection of the first aider Remove all sources of ignition. Ensure that medical personnel are aware of the material(s)

involved, take precautions to protect themselves and prevent spread of contamination. Use

personal protective equipment as required. See section 8 for more information.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms Prolonged contact may cause redness and irritation.

Effects of Exposure No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media Dry chemical. Carbon dioxide (CO2). Water spray. Alcohol resistant foam.

Large Fire CAUTION: Use of water spray when fighting fire may be inefficient.

Unsuitable extinguishing media Do not scatter spilled material with high pressure water streams.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the

chemical

Risk of ignition. Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

5.3. Advice for firefighters

Personal precautions

Special protective equipment and precautions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Evacuate personnel to safe areas. Use personal protective equipment as required. See section 8 for more information. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the

product must be grounded. Do not touch or walk through spilled material.

Other information Ventilate the area.

For emergency responders Use personal protection recommended in Section 8.

6.2. Environmental precautions

Refer to protective measures listed in Sections 7 and 8. Prevent further leakage or spillage if **Environmental precautions**

safe to do so. Prevent product from entering drains.

6.3. Methods and material for containment and cleaning up

Methods for containment Stop leak if you can do it without risk. Do not touch or walk through spilled material. A

vapour suppressing foam may be used to reduce vapours. Dyke far ahead of spill to collect run-off water. Keep out of drains, sewers, ditches and waterways. Absorb with earth, sand

or other non-combustible material and transfer to containers for later disposal.

Methods for cleaning up Take precautionary measures against static discharges. Dam up. Soak up with inert

absorbent material. Pick up and transfer to properly labelled containers.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

See section 8 for more information. See section 13 for more information. Reference to other sections

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Use personal protection equipment. Avoid contact with skin and eyes. Avoid breathing Advice on safe handling

vapours or mists. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use grounding and bonding connection when transferring this material to prevent static discharge, fire or explosion. Use with local exhaust ventilation. Use spark-proof tools and explosion-proof equipment. Keep in an area equipped with sprinklers.

Use according to package label instructions.

Do not eat, drink or smoke when using this product. Contaminated work clothing should not General hygiene considerations

be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, **Storage Conditions**

sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labelled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with the particular national

regulations. Store in accordance with local regulations.

Storage class (TRGS 510) LGK 3.

7.3. Specific end use(s)

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits

Chemical name	European Union	Austria	Belgium	Bulgaria	Croatia
2-Butoxyethanol	TWA: 20 ppm	TWA: 20 ppm	TWA: 20 ppm	STEL: 50 ppm	TWA: 20 ppm
111-76-2	TWA: 98 mg/m ³	TWA: 98 mg/m ³	TWA: 98 mg/m ³	STEL: 246 mg/m ³	TWA: 98 mg/m ³
	STEL: 50 ppm	STEL 40 ppm	STEL: 50 ppm	TWA: 20 ppm	STEL: 50 ppm
	STEL: 246 mg/m ³	STEL 200 mg/m ³	STEL: 246 mg/m ³	TWA: 98 mg/m ³	STEL: 246 mg/m ³
	*	H*	D*	K*	*
Propan-2-ol	-	TWA: 200 ppm	TWA: 200 ppm	STEL: 1225.0 mg/m ³	TWA: 400 ppm
67-63-0		TWA: 500 mg/m ³	TWA: 500 mg/m ³	TWA: 980.0 mg/m ³	TWA: 999 mg/m ³
		STEL 800 ppm	STEL: 400 ppm		STEL: 500 ppm
		STEL 2000 mg/m ³	STEL: 1000 mg/m ³		STEL: 1250 mg/m ³
Chemical name	Cyprus	Czech Republic	Denmark	Estonia	Finland
2-Butoxyethanol	*	TWA: 100 mg/m ³	TWA: 20 ppm	S+	TWA: 20 ppm
111-76-2	STEL: 50 ppm	Ceiling: 200 mg/m ³	TWA: 98 mg/m ³	TWA: 20 ppm	TWA: 98 mg/m ³
	STEL: 246 mg/m ³	D*	H*	TWA: 98 mg/m ³	STEL: 50 ppm
	TWA: 20 ppm		STEL: 246 mg/m ³	STEL: 50 ppm	STEL: 250 mg/m ³
	TWA: 98 mg/m ³		STEL: 50 ppm	STEL: 246 mg/m ³	iho*
				A*	

		I =: / -				
Propan-2-ol	-	TWA: 500 mg/m ³	TWA: 200 ppm		50 ppm	TWA: 200 ppm
67-63-0		Ceiling: 1000 mg/m ³			50 mg/m ³	TWA: 500 mg/m ³
		J D	STEL: 400 ppm STEL: 980 mg/m ³		250 ppm 00 mg/m ³	STEL: 630 mg/m ³
Chamical name	France	Cormony TDCC				STEL: 620 mg/m ³
Chemical name	France	Germany TRGS	Germany DFG		ece	Hungary TWA: 20 ppm
2-Butoxyethanol 111-76-2	TWA: 10 ppm	TWA: 10 ppm	TWA: 10 ppm TWA: 49 mg/m ³		25 ppm	
111-76-2	TWA: 49 mg/m ³ STEL: 50 ppm	TWA: 49 mg/m ³ H*	Peak: 20 ppm	TVVA. 12	20 mg/m ³	TWA: 98 mg/m ³
	STEL: 30 ppill STEL: 246 mg/m ³	П	Peak: 98 mg/m ³			STEL: 50 ppm STEL: 246 mg/m ³
	*		*			b*
Propan-2-ol	STEL: 400 ppm	TWA: 200 ppm	TWA: 200 ppm	Τ\Λ/Δ · Δ	100 ppm	TWA: 500 mg/m ³
67-63-0	STEL: 980 mg/m ³	TWA: 500 mg/m ³	TWA: 500 mg/m ³		30 mg/m ³	TWA: 200 ppm
0. 55 5	0122. 000 mg/m	1 W w coo mg/m	Peak: 400 ppm		500 ppm	STEL: 1000 mg/m ³
			Peak: 1000 mg/m ³		25 mg/m ³	STEL: 400 ppm
]		- 3	b*
Chemical name	Ireland	Italy MDLPS	Italy AIDII	La	tvia	Lithuania
2-Butoxyethanol	TWA: 20 ppm	TWA: 20 ppm	TWA: 20 ppm		20 ppm	STEL: 20 ppm
111-76-2	TWA: 98 mg/m ³	TWA: 98 mg/m ³	TWA: 97 mg/m ³		8 mg/m³	STEL: 100 mg/m ³
	STEL: 50 ppm	STEL: 50 ppm			50 ppm	TWA: 10 ppm
	STEL: 246 mg/m ³	STEL: 246 mg/m ³			46 mg/m ³	TWA: 50 mg/m ³
	Sk*	cute*			da*	O*
Propan-2-ol	TWA: 200 ppm	-	TWA: 200 ppm		50 mg/m ³	STEL: 250 ppm
67-63-0	STEL: 400 ppm		TWA: 492 mg/m ³	STEL: 60	00 mg/m ³	STEL: 600 mg/m ³
	Sk*		STEL: 400 ppm			TWA: 150 ppm
		24 16	STEL: 983 mg/m ³			TWA: 350 mg/m ³
Chemical name	Luxembourg	Malta	Netherlands	Norway		Poland
2-Butoxyethanol	STEL: 50 ppm	STEL: 50 ppm	TWA: 20.4 ppm		10 ppm	STEL: 200 mg/m ³
111-76-2	STEL: 246 mg/m ³	STEL: 246 mg/m ³	TWA: 100 mg/m ³	TWA: 50 mg/m ³ STEL: 20 ppm		TWA: 98 mg/m³
	TWA: 20 ppm TWA: 98 mg/m³	skin*	STEL: 50 ppm STEL: 246 mg/m ³		20 ppm '5 mg/m ³	skóra*
	Peau*	TWA: 20 ppm TWA: 98 mg/m ³	H*		3 mg/m² 1 *	
Propan-2-ol	-	- 1 VV/ (. 30 mg/m			00 ppm	STEL: 1200 mg/m ³
67-63-0					15 mg/m ³	TWA: 900 mg/m ³
0. 35 5					150 ppm	skóra*
					6.25 mg/m ³	
Chemical name	Portugal	Romania	Slovakia		enia	Spain
2-Butoxyethanol	TWA: 20 ppm	TWA: 20 ppm	TWA: 20 ppm		20 ppm	TWA: 20 ppm
111-76-2	TWA: 98 mg/m ³	TWA: 98 mg/m ³	TWA: 98 mg/m ³		8 mg/m ³	TWA: 98 mg/m ³
	STEL: 50 ppm	STEL: 50 ppm	K*		50 ppm	STEL: 50 ppm
	STEL: 246 mg/m ³	STEL: 246 mg/m ³	Ceiling: 246 mg/m ³	STEL: 24	46 mg/m ³	STEL: 245 mg/m ³
	Cutânea*	P*			(*	vía dérmica*
Propan-2-ol	TWA: 200 ppm	TWA: 81 ppm	TWA: 200 ppm	TWA: 2	200 ppm	TWA: 200 ppm
67-63-0	STEL: 400 ppm	TWA: 200 mg/m ³	TWA: 500 mg/m ³	TWA: 50	00 mg/m³	TWA: 500 mg/m ³
		STEL: 203 ppm	Ceiling: 1000 mg/m ³		100 ppm	STEL: 400 ppm
		STEL: 500 mg/m ³		STEL: 10	00 mg/m ³	
Chemical name		weden	Switzerland			ited Kingdom
2-Butoxyethanol Bindande KGV: 50 p			TWA: 10 ppm			NA: 25 ppm
111-76-2		KGV: 246 mg/m ³			A: 123 mg/m ³	
		/: 10 ppm	1 '' 1		FEL: 50 ppm	
	I NGV	: 50 mg/m³	STEL: 98 mg/m	۱۲	51E	EL: 246 mg/m ³
Dranan 2 al	H*		H*		T\	Sk*
67-63-0	Propan-2-ol Vägledande KGV: 250 pp 67-63-0 Vägledande KGV: 600 mg		TWA: 200 ppm TWA: 500 mg/n			VA: 400 ppm A: 999 mg/m³
07-03-0		': 150 ppm	STEL: 400 ppn			EL: 500 ppm
NGV: 350 mg/m ³		555 mg/m²	STEL: 1000 mg/m ³ STEL: 1250 mg/m ³			L. 1200 Hig/III

Biological occupational exposure limits

2-Butoxyethanol 111-76-2	Chemical name	European Union	Austria	Bulo	garia	Croatia		Czech Republic
Propan-2-ol - - 50 mg/L - blood (Acetone) - at the end of the work shift 50 mg/L - urine (Acetone) - at the end of the work shift 50 mg/L - urine (Acetone) - at the end of the work shift 50 mg/L - urine (Acetone) - at the end of the work shift 50 mg/L - urine (Acetone) - at the end of the work shift 50 mg/L - urine (Acetone) - at the end of the work shift 50 mg/L - urine (Acetone) - at the end of the work shift 50 mg/L - urine (Acetone) - at the end of the work shift 50 mg/L - urine (Acetone) - at the end of the work shift 50 mg/L orealine (Iso mg/G Creatinine (Urine - Butovyacetic acid (after (urine - Butovyacetic acid (after hydrolysis) for hydrolysis) for hydrolysis for hydrolysis for hydrolysis for hydrolysis or acid (after hydrolysis) end of shift) 150 mg/G Creatinine 40 mg/L (urine - Butovyacetic acid (after hydrolysis) end of shift) 40 mg/L (urine - Butovyacetic acid (after hydrolysis) end of shift) 40 mg/L (urine - Butovyacetic acid (after hydrolysis) end of shift) 40 mg/L (urine - Butovyacetic acid (after hydrolysis) end of shift) 40 mg/L (urine - Butovyacetic acid (after hydrolysis) end of shift) 40 mg/L (urine - Butovyacetic acid (after hydrolysis) end of shift) 40 mg/L (urine - Butovyacetic acid (after hydrolysis) end of shift) 40 mg/L (urine - Butovyacetic acid (after hydrolysis) end of shift) 40 mg/L (urine - Butovyacetic acid end end of shift) 40 mg/L (urine - Butovyacetic acid end end end end end end end end end en	2-Butoxyethanol	-	-		-	-		200 mg/g Creatinine
end of workweek) 0.17 mm0/mm0 Creatinine (urine - Butxyacetic acid end of shift at end of workweek) Propan-2-ol 67-63-0 Propan-2-ol 10-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-	111-76-2							
Propan-2-ol 67-63-0 Propan								
Propan-2-ol 67-63-0 Propan-2-ol 7-0 Propan-2-ol 7-0 Propan-2-ol 7-0 Propan-2-ol 8-0 Propan-2-ol 8-0 Propan-2-ol 9-0 Propan-2-ol 9-0 Propan-2-ol 1-0 Pr								
Butoxyscetic acid end of shift at end of workweek) Propan-2-ol 67-63-0 Propan-2-ol 7-0 Propan-2-ol 7-0 Propan-2-ol 8-0 Propan-2-ol 8-0 Propan-2-ol 9-0 Propa								
Propan-2-ol 67-63-0								
Propan-2-ol 67-63-0								
Propan-2-ol 67-63-0 - - 50 mg/L - blood - (Acetone) - at the end of the work shift 50 mg/L - urine (Acetone) - at the end of the work shift 50 mg/L - urine 50 mg/L - urin								
eind of the work shift 50 mg/L - urine (Acetone) - at the end of the work shift 1-76-2 2-Butoxyethanol 111-76-2		-	-		-			-
So mg/L - urine (Apactonp - at the end of the work shift	67-63-0							
Chemical name								
end of the work shift 2-Butoxyethanol - 150 mg/g Creatinine 150 mg/g Creatinin								
Chemical name								
2-Butoxyethanol 111-76-2 - 150 mg/g Creatinine 150 mg/g Creatin	Chemical name	Denmark	Finland	Fra	nce			Germany TRGS
111-76-2		-	-	ı ıa	-			
Propan-2-ol 25 mg/L (whole blood - Acetone end of shift) 25 mg/L (urine - Butoxyacetic acid (after hydrolysis) for long-term exposures: at the end of the shift after several shifts) 150 mg/g Creatinine (urine - Butoxyacetic acid (after hydrolysis) end of shift) 150 mg/g Creatinine EBAT (for long-term exposures: at the end of the shift after several shifts) 150 mg/g Creatinine EBAT (for long-term exposures: at the end of the shift after several shifts) urine 150 mg/g Creatinine 150 mg/g C								
Inong-term exposures: at the end of the shift after several shifts) 150 mg/g Creatinine 111-76-2 111-76-2 111-76-2 1200 mg/g Creatinine 111-76-2 1200 mg/g Creatinine 111-76-2 140 mg/L (urine - Acetone - 40 mg/L - urine (Acetone) - 40								
exposures: at the end of the shift after several shifts) 150 mg/g Creatinine (urine - Butoxyacetic acid (after hydrolysis) end of shift) 150 mg/g Creatinine - BAT (for long-term exposures: at the end of the shift after several shifts) 150 mg/g Creatinine - BAT (for long-term exposures: at the end of the shift after several shifts) urine 150 mg/g Creatinine - BAT (for long-term exposures: at the end of the shift after several shifts) urine 150 mg/g Creatinine - BAT (end of exposure or end of shift) 25 mg/L (whole blood - Acetone end of shift) 25 mg/L (whole blood - Acetone end of shift) 25 mg/L (urine - Acetone end of shift) 25 mg/L (urine - Acetone end of shift) 25 mg/L - BAT (end of exposure or end of shift) 25 mg/L - BAT (end of exposure or end of shift) 25 mg/L - BAT (end of exposure or end of shift) 25 mg/L - BAT (end of exposure or end of shift) 25 mg/L - BAT (end of exposure or end of shift) 25 mg/L - BAT (end of exposure or end of shift) 25 mg/L - BAT (end of exposure or end of shift) 25 mg/L - BAT (end of exposure or end of shift) 25 mg/L - BAT (end of exposure or end of shift) 26 mg/L - BAT (end of exposure or end of shift) 27 mg/L (urine - BAT (end of exposure or end of shift) 28 mg/L - BAT (end of exposure or end of shift) 29 mg/L - BAT (end of exposure or end of shift) 20 mg/g Creatinine - urine (Butoxyacetic acid (with hydrolysis)) - end of shift) 27 mg/L - urine (Acetone) - 40 mg/L - urine (Acetone)						hydrolysis) f	or	
end of the shift after everal shifts) 150 mg/g Creatinine (urine - Butoxyacetic acid (after hydrolysis) end of shift) 150 mg/g Creatinine - Butoxyacetic acid (after hydrolysis) end of shift) 150 mg/g Creatinine - BAT (for long-term exposures: at the end of the shift after several shifts) urine 150 mg/g Creatinine - BAT (for long-term exposures: at the end of the shift after several shifts) urine 150 mg/g Creatinine - BAT (end of exposure or end of shift) 25 mg/L (whole blood - Acetone end of shift) 25 mg/L (urine - Acetone end of shift) 25 mg/L (urine - Acetone end of shift) 25 mg/L (urine - Acetone end of shift) 25 mg/L - BAT (end of exposure or end of shift) 25 mg/L - BAT (end of exposure or end of shift) 25 mg/L - BAT (end of exposure or end of shift) 25 mg/L - BAT (end of exposure or end of shift) 25 mg/L - BAT (end of exposure or end of shift) 25 mg/L - BAT (end of exposure or end of shift) 25 mg/L - BAT (end of exposure or end of shift) 25 mg/L - BAT (end of exposure or end of shift) 25 mg/L - BAT (end of exposure or end of shift) 26 mg/L - BAT (end of exposure or end of shift) 27 mg/L (urine - Acetone end of shift) 28 mg/L - BAT (end of exposure or end of shift) 29 mg/g Creatinine - urine (Butoxyacetic acid (with hydrolysis)) - end of shift) 20 mg/g Creatinine - urine (Butoxyacetic acid (with hydrolysis)) - end of shift)								
several shifts) 150 mg/g Creatinine 150 mg/g Creatinine (urine - Butoxyacetic acid (after hydrolysis) end of shift) 150 mg/g Creatinine (urine - Butoxyacetic acid (after hydrolysis) end of shift) 150 mg/g Creatinine - BAT (for long-term exposures: at the end of the shift after several shifts) urine 150 mg/g Creatinine - BAT (end of exposure or end of shift) urine Propan-2-ol 25 mg/L (whole blood - Acetone end of shift) 25 mg/L (urine - Acetone end of shift) 25 mg/L (urine - Acetone end of shift) 25 mg/L - BAT (end of shift) 26 mg/L - BAT (end of shift) 27 mg/L - BAT (end of shift) 28 mg/L - BAT (end of shift) 29 mg/L - BAT (end of shift) 20 mg/C - BAT (end of shift)								
Somg/g Creatinine 150 mg/g Creatinine 150 mg/g Creatinine 150 mg/g Creatinine 26 mg/g Creatinine 27 mg/g Creatinine 28 mg/g Creatinine 29 mg/g Creatinine 29 mg/g Creatinine 29 mg/g Creatinine 200 mg/g Creatinine 20								
Curine - Butoxyacetic acid (after hydrolysis) end of shift) 150 mg/g Creatinine 15								
acid (after hydrolysis) end of shift) 150 mg/g Creatinine - BAT (for long-term exposures: at the end of the shift after several shifts) urine 150 mg/g Creatinine - BAT (end of exposure or end of shift) urine Propan-2-ol 25 mg/L (whole blood - Acetone end of shift) 25 mg/L (urine - Acetone end of shift) 25 mg/L (urine - Acetone end of shift) 25 mg/L (urine - Acetone end of shift) Chemical name Hungary Ireland Italy MDLPS Italy AIDII 2-Butoxyethanol - 200 mg/g Creatinine - urine (Butoxyacetic acid (with hydrolysis)) - end of shift Propan-2-ol - 40 mg/L (urine - Acetone - 40 mg/L - urine (Acetone)								
hydrolysis) end of shift) Shift Shift Shift Shift								
Shift) Shift) Shift) 150 mg/g Creatinine - BAT (for long-term exposures: at the end of the shift after several shifts) urine 150 mg/g Creatinine - BAT (end of exposure or end of shift) Propan-2-ol 67-63-0 Shift) Shift Shift) Shift Shi								
150 mg/g Creatinine - BAT (for long-term exposures: at the end of the shift after several shifts) urine 150 mg/g Creatinine - BAT (end of exposure or end of shift) urine - BAT (end of exposure or end of shift) urine - 25 mg/L (whole blood - Acetone end of shift) - 25 mg/L (urine - Acetone end of shift) - 25 mg/L (urine - Acetone end of shift) - 25 mg/L (urine - Acetone end of shift) - 25 mg/L (urine - BAT (end of exposure or end of shift) -								
exposures: at the end of the shift after several shifts) urine 150 mg/g Creatinine - BAT (end of exposure or end of shift) urine Propan-2-ol 25 mg/L (whole blood - Acetone end of shift) 25 mg/L (urine - Acetone end of shift) 25 mg/L (urine - Acetone end of shift) Acetone end of shift) 25 mg/L (urine - Acetone end of shift) 40 and of exposure or end of shift) 25 mg/L end of exposure or end of shift) 40 and of exposure or end of shift) 40 and of exposure or end of shift) 40 and 60 a						150 mg/g Creat	inine	
end of the shift after several shifts) urine 150 mg/g Creatinine - BAT (end of exposure or end of shift) urine Propan-2-ol 25 mg/L (whole blood - Acetone end of shift) 25 mg/L (urine - Acetone end of shift) 25 mg/L (urine - Acetone end of shift) 25 mg/L - BAT (end of exposure or end of shift) 25 mg/L - BAT (end of exposure or end of shift) 25 mg/L - BAT (end of exposure or end of shift) 25 mg/L - BAT (end of exposure or end of shift) 25 mg/L - BAT (end of exposure or end of shift) 25 mg/L - BAT (end of exposure or end of shift) 25 mg/L - BAT (end of exposure or end of shift) 25 mg/L - BAT (end of exposure or end of shift) 25 mg/L (urine - Acetone end of shift) 26 mg/L (urine - Acetone end of shift) 27 mg/L (urine - Acetone end of shift) 28 mg/L (urine - Acetone end of shift) 29 mg/L (urine - Acetone end of shift) 20 mg/L (urine - Acetone end of shift)								
Several shifts) urine 150 mg/g Creatinine - BAT (end of exposure or end of shift) urine 25 mg/L (whole blood - Acetone end of shift) 25 mg/L (urine - Acetone end of shift) 20 mg/C urine - acetone - 40 mg/C - urine (Acetone) - 40 mg/L - urine (Acetone) - 40 mg/C - urine (Acetone) - 40								
Section State St								
Propan-2-ol - - 25 mg/L (whole blood - Acetone end of shift) urine 25 mg/L (urine - Acetone end of shift) urine 25 mg/L (urine - Acetone end of shift) 25 mg/L - BAT (end of exposure or end of shift) urine 25 mg/L - BAT (end of exposure or end of shift) urine 25 mg/L - BAT (end of exposure or end of shift) 25 mg/L orine 20 mg/L - BAT (end of exposure or end of shift) 25 mg/L (urine - Acetone end of shift) 25 mg/L (urin								
Propan-2-ol 25 mg/L (whole blood - Acetone end of shift) urine Propan-2-ol 25 mg/L (whole blood - Acetone end of shift) 25 mg/L (urine - Acetone end of shift) 25 mg/L (urine - Acetone end of shift) 25 mg/L - BAT (end of exposure or end of shift) urine 25 mg/L - BAT (end of exposure or end of shift) blood Chemical name Hungary Ireland Italy MDLPS Italy AIDII 2-Butoxyethanol 111-76-2 200 mg/g Creatinine (urine - end of shift) (urine - end of shift) 200 mg/g Creatinine - urine (Butoxyacetic acid (with hydrolysis)) - end of shift Propan-2-ol - 40 mg/L (urine - Acetone) - 40 mg/L - urine (Acetone)								
Propan-2-ol 67-63-0 Propan-2-ol 70-0-0-0-0-0-0-0-0-0-0-0-0-0-0-0-0-0-								
Propan-2-ol 67-63-0								
blood - Acetone end of shift) 25 mg/L (urine - Acetone end of shift) 25 mg/L (urine - Acetone end of shift) 25 mg/L (urine - Acetone end of shift) 25 mg/L - BAT (end of exposure or end of shift) 25 mg/L - BAT (end of exposure or end of shift) 25 mg/L - BAT (end of exposure or end of shift) 25 mg/L - BAT (end of exposure or end of shift) 25 mg/L - BAT (end of exposure or end of shift) 200 mg/L - BAT (end of exposure or end of shift) 200 mg/S (reatinine - Urine (Butoxyacetic acid (with hydrolysis)) - end of shift 200 mg/S (reatinine - Urine (Butoxyacetic acid (with hydrolysis)) - end of shift 200 mg/L - Urine (Acetone) 2	Propan-2-ol	-	-		-			25 mg/L (whole
25 mg/L (urine - Acetone end of shift)								
Acetone end of shift) 25 mg/L - BAT (end of exposure or end of shift) 25 mg/L - BAT (end of exposure or end of shift) 25 mg/L - BAT (end of exposure or end of shift) Chemical name Hungary Ireland Italy MDLPS Italy AIDII 2-Butoxyethanol 111-76-2 200 mg/g Creatinine (urine - end of shift) Propan-2-ol - 40 mg/L (urine - Acetone) - 40 mg/L - urine (Acetone)								
25 mg/L - BAT (end of exposure or end of shift) urine 25 mg/L - BAT (end of exposure or end of shift) urine 25 mg/L - BAT (end of exposure or end of shift) blood Chemical name								
of exposure or end of shift) urine 25 mg/L - BAT (end of exposure or end of shift) blood Chemical name Hungary Ireland Italy MDLPS Italy AIDII 2-Butoxyethanol - 200 mg/g Creatinine (urine - end of shift) - 200 mg/g Creatinine - urine (Butoxyacetic acid (with hydrolysis)) - end of shift Propan-2-ol - 40 mg/L (urine - Acetone - 40 mg/L - urine (Acetone)								Acetone end of shift)
Chemical name Hungary Ireland Italy MDLPS Italy AIDII 2-Butoxyethanol - 200 mg/g Creatinine (urine - end of shift) Propan-2-ol - 40 mg/L (urine - Acetone) - Shift urine 25 mg/L - BAT (end of exposure or end of shift) - Italy MDLPS Italy AIDII - 200 mg/g Creatinine - 200 mg/g Creatinine - urine (Butoxyacetic acid (with hydrolysis)) - end of shift								
Chemical name								
Chemical name Hungary Ireland Italy MDLPS Italy AIDII 2-Butoxyethanol - 200 mg/g Creatinine (urine - end of shift) Propan-2-ol - 40 mg/L (urine - Acetone) of exposure or end of shift) blood Italy MDLPS Italy AIDII - 200 mg/g Creatinine - 200 mg/g Creatinine - urine (Butoxyacetic acid (with hydrolysis)) - end of shift								
Chemical name Hungary Ireland Italy MDLPS Italy AIDII 2-Butoxyethanol - 200 mg/g Creatinine - urine (Butoxyacetic acid (with hydrolysis)) - end of shift Propan-2-ol - 40 mg/L (urine - Acetone - 40 mg/L - urine (Acetone)								
2-Butoxyethanol - 200 mg/g Creatinine - urine (Butoxyacetic acid (with hydrolysis)) - end of shift Propan-2-ol - 40 mg/L (urine - Acetone - 40 mg/L - urine (Acetone)						of shift) bloo		
111-76-2 (urine - end of shift) urine (Butoxyacetic acid (with hydrolysis)) - end of shift Propan-2-ol - 40 mg/L (urine - Acetone - 40 mg/L - urine (Acetone)		Hungary			Italy			
(with hydrolysis)) - end of shift Propan-2-ol - 40 mg/L (urine - Acetone) - 40 mg/L - urine (Acetone)		-				-		
Propan-2-ol 40 mg/L (urine - Acetone) - 40 mg/L - urine (Acetone)	111-76-2		(urine - end	of snift)				
Propan-2-ol - 40 mg/L (urine - Acetone - 40 mg/L - urine (Acetone)							l (with	* "
	Propan-2-ol	_	40 mg/L (urine	- Acetone		_	40 m	

ASA, EASA250ML, EASA25L, ZE - Anti-Static Spray

		workweek)		workweek
Chemical name	Latvia	Luxembourg	Romania	Slovakia
Propan-2-ol 67-63-0	-	-	50 mg/L - urine (Acetone) - end of shift	-
Chemical name	Slovenia	Spain	Switzerland	United Kingdom
2-Butoxyethanol 111-76-2	150 mg/g Creatinine - urine (Butoxyacetic acid (after hydrolysis)) - at the end of the work shift; for long-term exposure: at the end of the work shift after several consecutive workdays	shift)	150 mg/g creatinine (urine - 2-Butoxyacetic acid (after hydrolysis) end of shift, and after several shifts (for long-term exposures))	240 mmol/mol creatinine - urine (Butoxyacetic acid) - post shift
Propan-2-ol 67-63-0	25 mg/L - blood (Acetone) - at the end of the work shift 25 mg/L - urine (Acetone) - at the end of the work shift	end of workweek)	25 mg/L (urine - Acetone end of shift) 0.4 mmol/L (urine - Acetone end of shift) 25 mg/L (whole blood - Acetone end of shift) 0.4 mmol/L (whole blood - Acetone end of shift)	

Derived No Effect Level (DNEL) - Workers

Chemical name	Oral	Dermal	Inhalation
2-Butoxyethanol 111-76-2	-	125 mg/kg bw/day [4] [6] 89 mg/kg bw/day [4] [7]	98 mg/m³ [4] [6] 1091 mg/m³ [4] [7] 246 mg/m³ [5] [7]
Propan-2-ol 67-63-0	-	888 mg/kg bw/day [4] [6]	500 mg/m³ [4] [6]
Tetrapotassium pyrophosphate 7320-34-5	-	-	17.63 mg/m³ [4] [6]

[4] Systemic health effects.
[5] Local health effects.
[6] Long term.
[7] Short term.

Derived No Effect Level (DNEL) - General Public

Chemical name	Oral	Dermal	Inhalation
2-Butoxyethanol	6.3 mg/kg bw/day [4] [6]	89 mg/kg bw/day [4] [6]	59 mg/m³ [4] [6]
111-76-2	26.7 mg/kg bw/day [4] [7]	89 mg/kg bw/day [4] [7]	426 mg/m³ [4] [7]
			147 mg/m³ [5] [7]
Propan-2-ol	26 mg/kg bw/day [4] [6]	-	89 mg/m³ [4] [6]
67-63-0			
Tetrapotassium pyrophosphate	-	-	4.35 mg/m³ [4] [6]
7320-34-5			

[4] Systemic health effects.
[5] Local health effects.
[6] Long term.
[7] Short term.

Predicted No Effect Concentration (PNEC)

Chemical name	Freshwater	Freshwater (intermittent release)	Marine water	Marine water (intermittent release)	Air
2-Butoxyethanol 111-76-2	8.8 mg/L	26.4 mg/L	0.88 mg/L	-	-
Propan-2-ol 67-63-0	140.9 mg/L	140.9 mg/L	140.9 mg/L	-	-

Chemical name	Freshwater sediment	Marine sediment	Sewage treatment	Soil	Food chain
2-Butoxyethanol 111-76-2	34.6 mg/kg sediment dw	3.46 mg/kg sediment dw	463 mg/L	2.33 mg/kg soil dw	0.02 g/kg food
Propan-2-ol 67-63-0	552 mg/kg sediment dw	552 mg/kg sediment dw	2251 mg/L	28 mg/kg soil dw	160 mg/kg food

8.2. Exposure controls

Engineering controls Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eye/face protection Tight sealing safety goggles.

Hand protection Wear suitable gloves. Impervious gloves.

Skin and body protection Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron.

Antistatic boots.

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations Do not eat, drink or smoke when using this product. Contaminated work clothing should not

be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product.

Environmental exposure controls No information available.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical stateLiquidAppearanceLiquidColourColourless

OdourNo information available.Odour thresholdNo information available

Property Values Remarks • Method

Melting point / freezing pointNo data availableNone knownInitial boiling point and boiling rangeNo data availableNone knownFlammabilityNo data availableNone known

None known

None known

Flammability Limit in Air

Upper flammability or explosive

No data available

limits

Lower flammability or explosive No data available

limits

Flash point > 60 °C Closed cup
Autoignition temperature No data available None known

Decomposition temperature

pH 7 - 8 pH (concentrated solution): 7-8

pH (as aqueous solution) No data available None known No data available Kinematic viscosity None known Dynamic viscosity No data available None known None known No data available Water solubility None known Solubility(ies) No data available **Partition coefficient** No data available None known Vapour pressure No data available None known Relative density No data available None known

Bulk density 0.995 kg/l

Liquid Density No data available

Relative vapour density

No data available

None known

Particle characteristics

Particle Size No information available Particle Size Distribution No information available

9.2. Other information

9.2.1. Information with regards to physical hazard classes

Explosive properties Not considered to be explosive.

Oxidising properties Does not meet the criteria for classification as oxidizing.

9.2.2. Other safety characteristics

No information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity No information available.

10.2. Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical impact None. Sensitivity to static discharge Yes.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions
None under normal processing.

10.4. Conditions to avoid

Conditions to avoid Heat, flames and sparks.

10.5. Incompatible materials

Incompatible materialsNone known based on information supplied.

10.6. Hazardous decomposition products

Hazardous decomposition products None known based on information supplied.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure

Product Information

Inhalation Specific test data for the substance or mixture is not available.

Eye contact Specific test data for the substance or mixture is not available.

Skin contact Specific test data for the substance or mixture is not available. Causes mild skin irritation.

Ingestion Specific test data for the substance or mixture is not available.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Prolonged contact may cause redness and irritation.

Acute toxicity

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document

 ATEmix (oral)
 20,408.20 mg/kg

 ATEmix (dermal)
 99,999.00 mg/kg

 ATEmix (inhalation-gas)
 99,999.00 ppm

 ATEmix (inhalation-vapour)
 449.00 mg/l

 ATEmix (inhalation-dust/mist)
 99,999.00 mg/l

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
2-Butoxyethanol	= 470 mg/kg (Rat)	= 435 mg/kg (Rabbit)	= 450 ppm (Rat) 4 h = 486 ppm (Rat) 4 h
Propan-2-ol	= 1870 mg/kg (Rat)	= 4059 mg/kg (Rabbit)	> 10000 ppm (Rat) 6 h

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Germ cell mutagenicityBased on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met. Carcinogenicity

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT - single exposure Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met. STOT - repeated exposure

Aspiration hazard Based on available data, the classification criteria are not met.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Endocrine disrupting properties The substance/mixture does not contain components considered to have endocrine

disrupting properties according to REACH Article 57(f) or Commission Delegated regulation

(EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

11.2.2. Other information

Other adverse effects No information available.

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity Very toxic to aquatic life with long lasting effects.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
2-Butoxyethanol	-	LC50: =1490mg/L (96h, Lepomis macrochirus) LC50: =2950mg/L (96h, Lepomis macrochirus)	-	EC50: >1000mg/L (48h, Daphnia magna)
Propan-2-ol	EC50: >1000mg/L (96h, Desmodesmus subspicatus) EC50: >1000mg/L (72h, Desmodesmus subspicatus)	LC50: =9640mg/L (96h, Pimephales promelas) LC50: =11130mg/L (96h, Pimephales promelas) LC50: >1400000µg/L (96h, Lepomis macrochirus)	-	EC50: =13299mg/L (48h, Daphnia magna)

12.2. Persistence and degradability

No information available. Persistence and degradability

12.3. Bioaccumulative potential

Bioaccumulation

Component Information

Chemical name	Partition coefficient
2-Butoxyethanol	0.81
Propan-2-ol	0.05

12.4. Mobility in soil

Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment The product does not contain any substance(s) classified as PBT or vPvB above the

threshold of declaration.

Chemical name	PBT and vPvB assessment	
2-Butoxyethanol	The substance is not PBT / vPvB	
Propan-2-ol	The substance is not PBT / vPvB	

12.6. Endocrine disrupting properties

Endocrine disrupting properties The substance/mixture does not contain components considered to have endocrine

disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused

products

Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging

Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld containers.

SECTION 14: Transport information

<u>IATA</u>

14.1 UN number or ID number UN3082

14.2 UN proper shipping name Environmentally hazardous substances, liquid, n.o.s. (nitrate amine salt of N-[3-

dimethylaminopropyl]- C14-C20 amides, saturated, reaction products with ethylene oxide)

14.3 Transport hazard class(es)

14.4 Packing group

Description

III

UN3082, Environmentally hazardous substances, liquid, n.o.s. (nitrate amine salt of N-[3-dimethylaminopropyl]- C14-C20 amides, saturated, reaction products with ethylene oxide),

9, III Yes

14.5 Environmental hazards

14.6 Special precautions for user Special Provisions

ERG Code

A97, A158, A197

9L

IMDG

14.1 UN number or ID number UN3082

Environmentally hazardous substances, liquid, n.o.s. (nitrate amine salt of N-[3-14.2 UN proper shipping name

dimethylaminopropyl]- C14-C20 amides, saturated, reaction products with ethylene oxide)

14.3 Transport hazard class(es)

14.4 Packing group Description

9 Ш

> UN3082, Environmentally hazardous substances, liquid, n.o.s. (nitrate amine salt of N-[3dimethylaminopropyl]- C14-C20 amides, saturated, reaction products with ethylene oxide),

9. III. (60°C c.c.). Marine pollutant

14.5 Environmental hazards

14.6 Special precautions for user

Special Provisions EmS-No

274, 335, 969 F-A, S-F

14.7 Maritime transport in bulk according to IMO instruments

No information available

RID

14.1 UN number or ID number

UN3082

14.2 UN proper shipping name

Environmentally hazardous substances, liquid, n.o.s. (nitrate amine salt of N-[3-

dimethylaminopropyl]- C14-C20 amides, saturated, reaction products with ethylene oxide)

14.3 Transport hazard class(es)

14.4 Packing group Description

Ш

UN3082, Environmentally hazardous substances, liquid, n.o.s. (nitrate amine salt of N-[3dimethylaminopropyl]- C14-C20 amides, saturated, reaction products with ethylene oxide),

9, III Yes

14.5 Environmental hazards

14.6 Special precautions for user

Special Provisions Classification code 274, 335, 375, 601

M6

ADR

14.1 UN number or ID number

UN3082

14.2 UN proper shipping name

Environmentally hazardous substances, liquid, n.o.s. (nitrate amine salt of N-[3dimethylaminopropyll- C14-C20 amides, saturated, reaction products with ethylene oxide)

14.3 Transport hazard class(es)

14.4 Packing group

Description

Ш UN3082, Environmentally hazardous substances, liquid, n.o.s. (nitrate amine salt of N-[3dimethylaminopropyl]- C14-C20 amides, saturated, reaction products with ethylene oxide),

9, III, (-) Yes

14.5 Environmental hazards

14.6 Special precautions for user

Special Provisions

Classification code M6 (-)

Tunnel restriction code

274, 335, 601, 375

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

France

Occupational Illnesses (R-463-3, France)

o o o a patriorial infriesco (it iso o, i ranco,	
Chemical name	French RG number
2-Butoxyethanol - 111-76-2	RG 84
Propan-2-ol - 67-63-0	RG 84

Germany

Water hazard class (WGK) slightly hazardous to water (WGK 1)

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

Authorisations and/or restrictions on use:

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

Chemical name		Restricted substance per REACH	Substance subject to authorisation per
		Annex XVII	REACH Annex XIV
	2-Butoxyethanol - 111-76-2	Use restricted. See item 75.	-
	Propan-2-ol - 67-63-0	Use restricted. See item 75.	-

Persistent Organic Pollutants

Not applicable

Dangerous substance category per Seveso Directive (2012/18/EU)

P5a - FLAMMABLE LIQUIDS P5b - FLAMMABLE LIQUIDS P5c - FLAMMABLE LIQUIDS

E1 - Hazardous to the Aquatic Environment in Category Acute 1 or Chronic 1

Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

EU - Plant Protection Products (1107/2009/EC)

Biocidal Products Regulation (EU) No 528/2012 (BPR)

biocidal i roducis Regulation (LO) NO 320/2012 (Bi R)	
Chemical name	Biocidal Products Regulation (EU) No 528/2012 (BPR)
Propan-2-ol - 67-63-0	Product-type 2: Disinfectants and algaecides not intended
	for direct application to humans or animals Product-type 4:
	Food and feed area Product-type 1: Human hygiene

International Inventories

TSCA Contact supplier for inventory compliance status Contact supplier for inventory compliance status DSL/NDSL **EINECS/ELINCS** Contact supplier for inventory compliance status Contact supplier for inventory compliance status **ENCS** Contact supplier for inventory compliance status **IECSC** Contact supplier for inventory compliance status **KECL PICCS** Contact supplier for inventory compliance status AIIC Contact supplier for inventory compliance status Contact supplier for inventory compliance status **NZIoC**

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AIIC - Australian Inventory of Industrial Chemicals

NZIoC - New Zealand Inventory of Chemicals

15.2. Chemical safety assessment

Chemical Safety Report No information available

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

H225 - Highly flammable liquid and vapour

H302 - Harmful if swallowed

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

H318 - Causes serious eye damage

H319 - Causes serious eye irritation

H332 - Harmful if inhaled

H336 - May cause drowsiness or dizziness

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

Legend

SVHC: Substances of Very High Concern for Authorisation:

Legend Section 8: Exposure controls/personal protection

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value * Skin designation

+ Sensitisers

Classification procedure		
Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used	
Acute oral toxicity	Calculation method	
Acute dermal toxicity	Calculation method	
Acute inhalation toxicity - gas	Calculation method	
Acute inhalation toxicity - vapour	Calculation method	
Acute inhalation toxicity - dust/mist	Calculation method	
Skin corrosion/irritation	Calculation method	
Serious eye damage/eye irritation	Calculation method	
Respiratory sensitisation	Calculation method	
Skin sensitisation	Calculation method	
Mutagenicity	Calculation method	
Carcinogenicity	Calculation method	
Reproductive toxicity	Calculation method	
STOT - single exposure	Calculation method	
STOT - repeated exposure	Calculation method	
Acute aquatic toxicity	Calculation method	
Chronic aquatic toxicity	Calculation method	
Aspiration hazard	Calculation method	
Ozone	Calculation method	

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR) U.S. Environmental Protection Agency ChemView Database European Food Safety Authority (EFSA)

European Chemicals Agency (ECHA) Committee for Risk Assessment (ECHA_RAC)

European Chemicals Agency (ECHA) (ECHA_API)

EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

National Institute of Technology and Evaluation (NITE)

Australian National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications

Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme

Organisation for Economic Co-operation and Development Screening Information Data Set

World Health Organization

Revision date

22/09/2023

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet