

---

# ECBT2.E144392

## Connectors for Use in Data, Signal, Control and Power Applications - Component

[Page Bottom](#)

[Questions?](#)

---

## Connectors for Use in Data, Signal, Control and Power Applications - Component

### [Guide Information](#)

NELTRON INDUSTRIAL CO LTD

E144392

2ND FL

184 CHENG-TEH RD, SEC 4

SHIH-LIN

TAIPEI 111, TAIWAN

**Wire to board connector**, Cat. Nos. 1310, 1311 , 5289H followed by -02 through -15. Cat. Nos. 8982H, 8980H, 8981H followed by -04. Cat. Nos. 2317RB, 2317RJ, 2317SB, 2317SJ, 2318HB, 2318HJ, 2417RJ, 2417SJ, 2418HJ followed by -02 through -15. Cat. Nos. 2226A followed by -01 through -40. Cat. No. 2226B followed by -02 through -80. Cat. No. 2221 followed by -06, -12. Cat. No. 2222 followed by -06. Cat. No. 2220 followed by -02 through -16. Cat. Nos. 2217R, 2217S, 2219R, 2219S followed by -02 through -15. Cat. No. 2218H followed by -01 through -15. Cat. No. 2026A followed by -01 through -40. Cat. No. 2026B followed by -02 through -80. Cat. No. 4400 followed by -44. Cat. No. 4401 followed by -10, -14, -16, -20, -24, -26, -30, -34, -40, -50, -60, -64. Cat. No. 4402 followed by -10, -14, -16, -20, -26, -34, -40, -44, -50, -60, -64. Cat. No. 4403 followed by -10, -14, -16, -20, -26, -30, -34, -40, -50, -60. Cat. No. 4404 followed by -14, -16, -18, -20. Cat. No. 4405 followed by -10, -14, -16, -20, -26. Cat. No. 4406 followed by -10, -14, -16, -20, -24, -26, -30, -34, -40, -50, -60, -64. Cat. No. 4501 followed by -20, -26, -32, -34, -40, -50, -52, -60, -68, -80, -100. Cat. No. 1200 followed by -03 through -09. Cat. No. 1005

followed by -50, -100.

**P.C.B connector**, Cat. No. 2162 followed by -16, -18, -20, -24. Cat. No. 2227 followed by -08, -14, -16, -18, -20, -24, -28, -40. Cat. No. 6605 followed by -72. Cat. No. 6602 followed by -30, -60. Cat. Nos. 1007, 1008 followed by -14, -20, -26, -30, -40, -50, -60, -68, -80, -100. Cat. No. 6601 followed by -20, -28, -32, -44, -52, -68, -84. Cat. No. 6603 followed by -68, -84, -85, -114, -121, -132. Cat. No. 1201 followed by -03 through -08. Cat. No. 1202 followed by -05. Cat. No. 2416S followed by -20, -26, -32, -34, -40, -50, -52, -60, -68, -80, -100. Cat. Nos. 2216R, 2216S followed by -10, -12, -14, -16, -20, -24, -26, -30, -34, -40, -50, -56, -60, -64. Cat. Nos. 2516R, 2516S followed by -20, -26, -32, -34, -40, -50, -52, -60, -68, -80, -100. Cat. Nos. 2223R, 2223S followed by -02 through -21. Cat. No. 2323S followed by -02 through -20. Cat. No. 2316S followed by -10, -14, -16, -20, -26, -30, -34, -40, -50, -60, -64. Cat. No. 2525 followed by -10, -12, -20, -30, -40, -50, -60, -80, -100, -120. Cat. No. 2314S followed by -20, -26, -32, -34, -40, -50, -52, -60, -68, -80, -100. Cat. No. 2224 followed by -02 through -15. Cat. Nos. 2211R, 2211S followed by -01 through -40.

Cat. Nos. 2213R , 2213S followed by -02 through -80. Cat. No. 2212S followed by -02 through -40. Cat. No. 2214S followed by -02 through -80. Cat. Nos. 2215R, 2215S followed by -10, -12, -16, -18, -20, -26, -30, -34, -40, -50, -60. Cat. No. 2225 followed by -36, -44, -50, -62, -80, -86, -100. Cat. No. 2207S followed by -02 through -80. Cat. Nos. 2208R, 2208S followed by -02 through -80. Cat. No. 2209S followed by -01 through -40. Cat. Nos. 2210R, 2210S followed by -01 through -40. Cat. No. 2206S followed by -01 through -30. Cat. No. 41612 followed by -32, -48, -64, -96.

**Mini jumper**, Cat. Nos. 2205 , 2228 followed by -02.

**Wire to wire connector**, Cat. No. 8182 followed by -04. Cat. Nos. 5005, 5006 followed by -01, -02, -03, -04A, -04B, -05, -06, -09, -12, -15.

**D-Sub connector**, Cat. Nos. 5514P , 5514R followed by -13. Cat. Nos. 5512P, 5512S followed by -15, -26, -44, -62. Cat. No. 5511 followed by -09, -15, -25. Cat. No. 5510 followed by -15. Cat. Nos. 5509P, 5509S followed by -15, -26, -62 .

Cat. Nos. 5508P , 5508S followed by -15, -26, -44, -62. Cat. Nos. 5506P, 5506S followed by -09, -15, -25, -37. Cat. Nos. 5504PF1, 5504SF1, 5504SF2, 5505F1, 5505F2, 5503S, 5503P followed by -09, -15, -25, -37. Cat. Nos. 5501P, 5501S, 5502 followed by -09, -15, -19, -23, -25, -37, -50.

**Centronic connector**, Cat No. 5701 followed by -14, -24, -36. Cat. Nos. 5702, 5703, 5706 followed by -40. Cat. No. 5704 followed by -30. Cat. No. 5707 followed by -20.

**Scart connector**, Cat. Nos. 1109, 1111, 1113 followed by -21. Cat. Nos. 1009, 1011, 1013 followed by -21. Cat. Nos. 1114R, 1114S followed by -21.

**Connectors** , Model No. 1002S followed by 30, 40, 50, 60 or 68; Model No. 1003-P-50; Model No. 1010

followed by 50 or 68, followed by P-PN; Model No. 1211 followed by 04, 06 or 08, followed by 04, 06 or 08; Model No. 1223 followed by -04 through 30, followed by 02 or 03; Model No. 1224S followed by 04 through 27; Model No. 1224SM followed by 04 through 30; Model No. 1230S followed by 04 through 15; Model No. 1230R followed by 04 through 30; Model No. 1250HM followed by 02 through 15; Model No. 1251SM followed by 02 through 15; Model No. 1251RM followed by 02 through 15; Model No. 1251S followed by 02 through 15, followed by SMD; Model No. 1251R followed by 02 through 15, followed by SMD; Model No. 1310H followed by 02 through 15; Model No. 1394-06; Model No. 1778 followed by 16, 20, 22, 24, 28, 30, 32, 40, 42, 48, 52, 54, 56 or 64, followed by 03, 04 or 06; Model No. 1778MC followed by 16, 20, 24, 28, 30, 40, 42, 48, 52, 56 or 64, followed by 03, 04, 06 or 075; Model No. 1999P followed by 04 through 80; Model No. 1999S followed by 04 through 120, followed by A1, A2 or A3, followed by B1, B2 or B3; Model No. 2006H followed by 01, through 06; Model No. 2006S followed by 01 through 05; Model No. 2010 followed by 10 through 12, followed by H1, H2, H3 or H4; Model No. 2011-10; Model No. 2016 followed by 10, 12, 14, 16, 20, 22, 24, 26, 30, 34, 36, 40, 44, 50, 60, 64 or 68; Model No. 2018 followed by P or R, followed by 02 through 12; Model No. 2099P followed by 04 through 10; Model 2099S followed by 04 through 14; Model No. 2100P followed by 06 through 20; Model 2100S followed by 04 through 10; Model No. 2110 followed by 20, 30, 40, 50, 60, 80 or 100, followed by 34 or 44, followed by MM; Model No. 2114 followed by R, H or S, followed by 02 through 10; Model No. 2150-08; Model No. 2198S followed by 10, 24, 30, 40, 44, 50, 60, 70, 80, 90 or 100, followed by A1 or A2; Model No. 2199SA followed by 04 through 30, followed by 01 through 03; Model No. 2199SB followed by 02 through 10, followed by A1, A2 or A3, followed by B1 or B2, followed by C1 or C2; Model No. 2199R followed by 0 or 5, followed by 04 through 30, followed by A1, A2 or A3, followed by B1 or B2, followed by C1 or C2; Model No. 2200SA followed by 05 through 50, followed by A1 or A2; Model No. 2200SB followed by 10 through 50, followed by A1 or A2; Model No. 2204 followed by S or R, followed by 02 through 30; Model No. 2206SA followed by 01 through 36, followed by 46; Model No. 2206SB followed by 02 through 16, followed by 46; Model No. 2206PA followed by 01 through 36, followed by 739; Model No. 2206PB followed by 02 through 50, followed by 739; Model No. 2227MC followed by 06, 08, 10, 14, 16, 18, 20, 22, 24, 28, 32, 36, 40, 42, 48 or 64, followed by 03, 06 or 09; Model No. 2233 followed by S or R, followed by 03 through 120; Model No. 2317 followed by SEH or REH, followed by 02 through 15; Model No. 2317 followed by RM or SM, followed by 02 through 10; Model No. 2318 followed by HM or HEH, followed by 02 through 15; Model No. 2323 followed by R or S, followed by 04 through 23, followed by A or B; Model No. 1016 followed by 09 or 15; Model No. 2007H followed by 02 through 06; Model No. 2007S followed by 02 through 05; Model No. 2324S followed by 04 through 22; Model No. 2324R followed by 03 through 30; Model No. 2392-5100; Model No. 2417 followed by SB or RB, followed by 02 through 08; Model No. 2418HB followed by 02 through 15; Model No. 3750R followed by 02 through 12; Model No. 3750S followed by 02 or 03; Model No. 3920 followed by 02, 03, 04, 06, 09 or 12; Model No. 3921 followed by 02, 03, 04, 06, 09 or 12; Model No. 41815 followed by R, S or BE, followed by 02 through 10; Model No. 4407 followed by 10, 14, 16, 20, 26, 34, 40, 50, 60 or 64; Model No. 4408 followed by 10, 12, 16, 20, 24, 26, 30, 34, 40 or 44; Model Nos. 5075AS-04, 5075BR-04, 5075AR-08B, 5075AR-04; Model No. 5197H followed by 02 through 12; Model No. 5197 followed by S or R, followed by 02 through 04, may be followed by 01; Model No. 5504F3-09P; Model No. 5513S followed by 3W3, 5W1, 7W2, 8W8, 11W1 or 13W3; Model No. 5515-13W3; Model No. 5557 followed by 02, 04, 06, 08, 10, 12, 14, 16, 18 or 20; Model No. 5559 followed by 02, 04, 06, 08, 10, 12 or 14; Model No. 5566S followed by 02, 04, 06, 08, 10, 12, 14, 16, 18

or 20; Model No. 5569R followed by 02, 04, 06, 08, 10, 12, 14, 16, 18 or 20, may be followed by 01; Model No. 6127 followed by S or P, followed by 02 through 31; Model No. 6604P followed by 01 through 40, followed by 9.1, 10.0, 10.6, 12.1 or 13.7; Model No. 6604S followed by 01 through 40, may be followed by WR; Model No. 6610-321; Model No. 6610P-321, 6615-168-LE; Model No. 8981 followed by SA, SM or R, followed by 04; Model No. 8982S followed by 02 through 08; Model No. SQJ followed by 24S, 26S, 28S, 28L, 32S or 40L; Model No. 4410-40.

**Low voltage connectors, Cat. No. 2350SM-02.**

Cat. No. 2350SM-02.

Cat. No. 1225SM, followed by 20, followed by 01; Cat. No. 1226 followed by 30, followed by 02 or 03; Cat. No. 1254SMB, followed by 10, 20, 30 or 40; Cat. Nos. 1394S-06, 1394R-06; Cat. No. 1394SM followed by 04; Cat. No. 1394UR followed by 06; Cat. No. 1500 followed by S or R, followed by 2 through 10; Cat. No. 2000P, followed by 14G, 20G, 30G, 32G, 36G, 40G or 50G, followed by 233; Cat. No. 2001S, followed by 14G, 20G, 30G, 32G, 36G, 40G or 50G, followed by 220; Cat. No. 2212BR followed by 30, followed by G or T; Cat. No. 2212SM followed by 40G, followed by 75; Cat. No. 2214SM followed by 70G, followed by 75; Cat. No. 2214BR followed by 26, followed by G or T; Cat. No. 2214DS followed by 20, followed by 66; Cat. No. 2214TB followed by 2, 4, 6, 8, 10, 12, 14, 16, 18 or 20; Cat. No. 2214113 followed by 64G, followed by 1A, 1B, 2B, 3B, 1C, 2C, 3C or 4C; Cat. No. 2227P followed by 20G, 24G, 28 or 32G, followed by 03 or 06; Cat. No. 2228P followed by 2 through 10; Cat. No. 2234S followed by 96; Cat. No. 2316113 followed by 64G, followed by A, B or C; Cat. No. 231682-3404 followed by 001 through 006; Cat. No. 2317 followed by SD or RD, followed by 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15 or 16; Cat. No. 2325 followed by 18/36, 20/40, 22/44, 28/56, 30/60, 36/72, 40/80, 43/86 or 50/100, followed by L1 or L2; Cat. No. 2392-5100; Cat. No. 2400SM followed by 02, 03 or 04, maybe followed by T1, T2 or T3; Cat. No. 2417 followed by SJ or RJ, followed by 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30 or 32, followed by PHD; Cat. No. 2425 followed by 40, 44, 56, 60, 86 or 100, followed by L1 or L2; Cat. No. 2525 followed by 200; Cat. No. 2526-242-SLOT1; Cat. No. 2710-06 followed by one alphanumeric digit; Cat. No. 4110SM followed by 07, followed by A1, A2 or A3, followed by M; Cat. No. 4120SM followed by 09; Cat. No. 4130SM followed by 10; Cat. Nos. 5075BMR-04-SM, 5075BMR-05-SM, 5075AMR1-04-SM; Cat. No. 5075BS followed by 04, followed by WH; Cat. No. 5075AUR followed by 04; Cat. Nos. 5075ARP-04, 5075ARP-04-SMD; Cat. No. 5198 followed by S or R, followed by 2 through 10; Cat. No. 6604SB followed by 40WR; Cat. No. 6801S followed by 50, followed by 70; Cat. No. 6831S followed by 40; Cat. No. 7520SL followed by 50P, followed by A, B, C or D; Cat. No. 7520 followed by 50P, followed by T1B3; Cat. Nos. ICA-501-006, ICA-501-008.

Marking: Company name or trademark  
catalog designation.

**NELTRON** and