

## 제품특징

### CM2011

- 상대 습도

humidity : 0 ~ 99.9% RH

정밀도: +/- 3% RH

출력: 0 ~ 3.0 Vdc

- 온도

측정범위: -40 ~ 80 °C

출력: Temperature of NTC10K thermistor.

- 사용 전압: 3.3 ~ 5.5 VDC

## ASAIR Series 온습도 센서

Part Number	Humidity 범위	Humidity 정밀도 [%RH]	Temperature 범위	Temperature 정밀도	Package	입출력 방식
CHT11	5-95%RH	±5 %RH	-20-60 °C	±2 °C	4 Pin	Digital
CM2311	0-99.9%RH	±3 %RH	-40~80 °C	±0.5 °C	3 Wire	Digital
CM2011	0-99.9%RH	±3 %RH	-40~80 °C	10K NTC	4 Wire	Analog
CM2302	0-99.9%RH	±2 %RH	-40~80 °C	±0.5 °C	4 Pin	Digital
CM2120	0-99.9%RH	±3 %RH	-40~80 °C	±0.5 °C	4 Pin	Digital
CM2122	0-99.9%RH	±2 %RH	-40~80 °C	±0.3 °C	4 Pin	Digital
CM2105	0-99.9%RH	±3 %RH	-40~80 °C	±0.5 °C	3 Wire	Digital
CM2305	0-99.9%RH	±2 %RH	-40~80 °C	±0.3 °C	3 Wire	Digital



